

IBM Case Manager 5.2: Customize & Extend the Features

Duration: 3 Days Course Code: F217G

Overview:

This course explores different options for customizing and extending the features of IBM Case Manager including developing widgets.

Target Audience:

This intermediate course is for developers who are responsible for: Customizing and extending the IBM Case Manager features by developing widgets
Building a customized user interface for IBM Case Manager
Anyone who needs to know the IBM Case Manager customization.

Objectives:

- | | |
|---|--|
| ■ Customize the Case Manager Client User Interface | ■ Create catalog and widget definition JSON files |
| ■ | ■ |
| ■ Customize the banner and the login page | ■ Implement a custom widget (Custom search) |
| ■ | ■ |
| ■ Associate a custom icon for a MIME type | ■ Build and register the widget package |
| ■ | ■ |
| ■ Modify labels in the IBM Case Manager Client | ■ Test the custom widget |
| ■ | ■ |
| ■ Create a Viewer Map for PDF files | ■ Create a Java project in Eclipse for a widget package |
| ■ | ■ |
| ■ View the Microsoft Word documents in the FileNet Viewer | ■ Implement toolbar and menu for your widget |
| ■ | ■ |
| ■ Edit the existing help topics | ■ Define widget properties, and add event handling for your widget |
| ■ | ■ |
| ■ Create a help plug-in | ■ Build and deploy the widget package with an EAR file |
| ■ | ■ |
| ■ Customize the toolbar to implement actions | ■ Troubleshoot |
| ■ | ■ |
| ■ Add a custom action as a menu item | ■ Update an existing widgets package with new widgets (Custom case comment widget as an example) |
| ■ | ■ |
| ■ Use Scripts to Customize Case Manager Client | ■ Uninstall a custom widget package in IBM Case Manager |
| ■ | ■ |
| ■ Use Script Adapter to customize the Case client | ■ Implement External Data Services (EDS) |

-
- Create a toolbar button to start a task
-
- Dynamically add a choice list to a case property
-
- Validate the data based on a step response
-
- Create a case custom workbench page
- Configure your system for the workbench page
-
- Add a Script Adapter to filter In-baskets
-
- Add a Script Adapter to filter cases
-
- Develop Custom Widgets
-
- Create an IBM Content Navigator plug-in project in Eclipse
-
-
- Check the sample EDS configuration
-
- Change the field status dynamically for a property
-
- Add an external choice list with EDS
-
- Create dependent choice lists with EDS
-
- Implement case property validation
-
- Prefill an initial value for a case property
-
- Set the case property field status as required
-
- Appendix: Steps to set up the sample External Data Service
-

Prerequisites:

- Intermediate level expertise in the following technologies:
 - Java
 - Dojo
 - JavaScript
 - JSON
 - HyperText Markup Language (HTML 5)
 - Cascading Style Sheets (CSS3)
 - Experience with Eclipse IDE for developing applications.
 - Familiarity with deploying applications in WebSphere Application Server.
 - Familiarity with Case Management concepts
 - Recommended prerequisite courses:
 - F215 - IBM Case Manager 5.2 Introduction to Case Manager
 - F212 - IBM Case Manager 5.2: Build a Case Manager Solution
 - F120 - IBM Content Navigator 2.0.2: Customize and Extend the Features
-

Content:

- Customize the Case Manager Client appearance
 - IBM Case Manager Development Architecture
 - Custom widget development overview
 - Case data from an external data source
 - Start and Stop System Components
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure

- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample

- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new

- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your

- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service

- widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets

- widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment

- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service

- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)

- and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)

- Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service

- Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file

- Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service

- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment

- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with

- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample

- for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package

- new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks

- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure

- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting

- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects

- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget

■ Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure

- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client

- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development

- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics

- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget

<ul style="list-style-type: none"> Update an existing widget package with new widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links 	<ul style="list-style-type: none"> Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file IBM Case Manager custom page widget development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links 	<ul style="list-style-type: none"> development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links
<ul style="list-style-type: none"> Customize the Banner appearance Customize the login page Change Icons for the client Modify the labels in the Case Manager Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file IBM Case Manager custom page widget development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new 	<ul style="list-style-type: none"> Customize the Banner appearance Customize the login page Change Icons for the client Modify the labels in the Case Manager Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file 	<ul style="list-style-type: none"> Customize the Banner appearance Customize the login page Change Icons for the client Modify the labels in the Case Manager Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file

<ul style="list-style-type: none"> widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links 	<ul style="list-style-type: none"> Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file IBM Case Manager custom page widget development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links 	<ul style="list-style-type: none"> IBM Case Manager custom page widget development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new widgets Implement External Data Services (EDS) Sample external data service Java code in the sample EDS service External Data Configuration in the sample Appendix Debugging and troubleshooting Additional Information and links
<ul style="list-style-type: none"> Customize the Banner appearance Customize the login page Change Icons for the client Modify the labels in the Case Manager Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets Developing case management applications Creating a custom page widget and actions package IBM Content Navigator plug-in for the custom widget package Setting up the development environment for plug-ins Create registry files for the custom widget package Catalog JSON file Page widget definition JSON file IBM Case Manager custom page widget development Implementing a page widget Files used to implement a page widget Contents in a custom page widget package Options for widget package deployment and registration Folder structure for the custom widget project Implement toolbar and menu for your widget Build and deploy a widget as an EAR file Widget package structure Custom case comment widget Update an existing widget package with new widgets 	<ul style="list-style-type: none"> Customize the Case Manager Client appearance IBM Case Manager Development Architecture Custom widget development overview Case data from an external data source Start and Stop System Components 	<ul style="list-style-type: none"> Customize the Banner appearance Customize the login page Change Icons for the client Modify the labels in the Case Manager Client Specify Viewers for File Types Viewer Maps Add custom help topics Creating a help plug-in Toolbar widgets Use Scripts to Customize Case Manager Client IBM Case Manager API toolkits IBM Content Navigator APIs IBM Case Manager JavaScript API Collaborative editing of objects Script Adapter widget Adding discretionary tasks IBM Case Manager classes and events for adding tasks Adding a choice list to a case property IBM Case Manager classes for adding a choice list Data Validation based on a step response Case custom workbench pages Filter In-basket SA - Script Adapter widget Filter Search SA - Script Adapter widget Tips for the labs and lab overview Develop Custom Widgets

- Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
-
- Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview

- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service

- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service

- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your

- widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment

- and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

Further Information:

For More information, or to book your course, please call us on 00 971 4 446 4987

training@globalknowledge.ae

www.globalknowledge.ae

Global Knowledge, Dubai Knowledge Village, Block 2A, First Floor, Office F68, Dubai, UAE