

IBM Case Manager 5.2 - Customize and Extend the Features

Varighed: 3 Days Kursus Kode: F217G Leveringsmetode: Virtuel deltagelse

Beskrivelse:

This course explores different options for customizing and extending the features of IBM Case Manager including developing widgets.

Virtuel deltagelse

Et V&C Select kursus indholder nøjagtig det samme som et almindeligt kursus. Før kursusstart modtager man kursusmaterialet. Dernæst logger man på kurset via internettet og ser via sin pc den selvsamme præsentation som de øvrige deltagere, man kommunikerer via chat med underviseren og de øvrige deltagere på kurset. Denne uddannelsesmodel er både tids-og omkostningsbesparende og kan være et oplagt alternativ til almindelig klasseundervisning, hvis man f.eks. har et begrænset rejsebudget.

Målgruppe:

This intermediate course is for developers who are responsible for: Customizing and extending the IBM Case Manager features by developing widgets Building a customized user interface for IBM Case Manager Anyone who needs to know the IBM Case Manager customization.

Agenda:

- Customize the Case Manager Client User Interface
- Create catalog and widget definition JSON files
- Customize the banner and the login page
- Implement a custom widget (Custom search)
- Associate a custom icon for a MIME type
- Build and register the widget package
- Modify labels in the IBM Case Manager Client
- Test the custom widget
- Create a Viewer Map for PDF files
- Create a Java project in Eclipse for a widget package
- View the Microsoft Word documents in the FileNet Viewer
- Implement toolbar and menu for your widget
- Edit the existing help topics
- Define widget properties, and add event handling for your widget
- Create a help plug-in
- Build and deploy the widget package with an EAR file
- Customize the toolbar to implement actions
- Troubleshoot
- Add a custom action as a menu item
- Update an existing widgets package with new widgets (Custom case comment widget as an example)

-
- Use Scripts to Customize Case Manager Client
-
- Use Script Adapter to customize the Case client
-
- Create a toolbar button to start a task
-
- Dynamically add a choice list to a case property
-
- Validate the data based on a step response
-
- Create a case custom workbench page
- Configure your system for the workbench page
-
- Add a Script Adapter to filter In-baskets
-
- Add a Script Adapter to filter cases
-
- Develop Custom Widgets
-
- Create an IBM Content Navigator plug-in project in Eclipse
-
-
- Uninstall a custom widget package in IBM Case Manager
-
- Implement External Data Services (EDS)
-
- Check the sample EDS configuration
-
- Change the field status dynamically for a property
-
- Add an external choice list with EDS
-
- Create dependent choice lists with EDS
-
- Implement case property validation
-
- Prefill an initial value for a case property
-
- Set the case property field status as required
-
- Appendix: Steps to set up the sample External Data Service
-

Forudsætninger:

- Intermediate level expertise in the following technologies:
 - Java
 - Dojo
 - JavaScript
 - JSON
 - HyperText Markup Language (HTML 5)
 - Cascading Style Sheets (CSS3)
 - Experience with Eclipse IDE for developing applications.
 - Familiarity with deploying applications in WebSphere Application Server.
 - Familiarity with Case Management concepts
 - Recommended prerequisite courses:
 - F215 - IBM Case Manager 5.2 Introduction to Case Manager
 - F212 - IBM Case Manager 5.2: Build a Case Manager Solution
 - F120 - IBM Content Navigator 2.0.2: Customize and Extend the Features
-

Indhold:

- Customize the Case Manager Client appearance
 - IBM Case Manager Development Architecture
 - Custom widget development overview
 - Case data from an external data source
 - Start and Stop System Components

 - Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration

- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget

- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package

- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets

- widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages

- project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager

- and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file

- Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types

- package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the

- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Case Manager Client appearance
- IBM Case Manager Development Architecture
- Custom widget development overview
- Case data from an external data source
- Start and Stop System Components

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development

- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links
- Customize the Banner appearance

- custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links
- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and

- development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
-
- actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting

- development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
-
- Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget

- development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
-
- Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
-
- Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
-
- Customize the Case Manager Client appearance
 - IBM Case Manager Development Architecture
 - Custom widget development overview
 - Case data from an external data source
 - Start and Stop System Components
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API

- development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
-
- Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits

- development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
-
- IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets
 - Developing case management applications
 - Creating a custom page widget and actions package
 - IBM Content Navigator plug-in for the custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client

- development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget

- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package

- Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

development

- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

- Customize the Banner appearance
- Customize the login page
- Change Icons for the client
- Modify the labels in the Case Manager Client
- Specify Viewers for File Types
- Viewer Maps
- Add custom help topics
- Creating a help plug-in
- Toolbar widgets
- Use Scripts to Customize Case Manager Client
- IBM Case Manager API toolkits
- IBM Content Navigator APIs
- IBM Case Manager JavaScript API
- Collaborative editing of objects
- Script Adapter widget
- Adding discretionary tasks
- IBM Case Manager classes and events for adding tasks
- Adding a choice list to a case property
- IBM Case Manager classes for adding a choice list
- Data Validation based on a step response
- Case custom workbench pages
- Filter In-basket SA - Script Adapter widget
- Filter Search SA - Script Adapter widget
- Tips for the labs and lab overview
- Develop Custom Widgets
- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the

- custom widget package
 - Setting up the development environment for plug-ins
 - Create registry files for the custom widget package
 - Catalog JSON file
 - Page widget definition JSON file
 - IBM Case Manager custom page widget development
 - Implementing a page widget
 - Files used to implement a page widget
 - Contents in a custom page widget package
 - Options for widget package deployment and registration
 - Folder structure for the custom widget project
 - Implement toolbar and menu for your widget
 - Build and deploy a widget as an EAR file
 - Widget package structure
 - Custom case comment widget
 - Update an existing widget package with new widgets
 - Implement External Data Services (EDS)
 - Sample external data service
 - Java code in the sample EDS service
 - External Data Configuration in the sample
 - Appendix
 - Debugging and troubleshooting
 - Additional Information and links
-
- Customize the Banner appearance
 - Customize the login page
 - Change Icons for the client
 - Modify the labels in the Case Manager Client
 - Specify Viewers for File Types
 - Viewer Maps
 - Add custom help topics
 - Creating a help plug-in
 - Toolbar widgets
 - Use Scripts to Customize Case Manager Client
 - IBM Case Manager API toolkits
 - IBM Content Navigator APIs
 - IBM Case Manager JavaScript API
 - Collaborative editing of objects
 - Script Adapter widget
 - Adding discretionary tasks
 - IBM Case Manager classes and events for adding tasks
 - Adding a choice list to a case property
 - IBM Case Manager classes for adding a choice list
 - Data Validation based on a step response
 - Case custom workbench pages
 - Filter In-basket SA - Script Adapter widget
 - Filter Search SA - Script Adapter widget
 - Tips for the labs and lab overview
 - Develop Custom Widgets

- Developing case management applications
- Creating a custom page widget and actions package
- IBM Content Navigator plug-in for the custom widget package
- Setting up the development environment for plug-ins
- Create registry files for the custom widget package
- Catalog JSON file
- Page widget definition JSON file
- IBM Case Manager custom page widget development
- Implementing a page widget
- Files used to implement a page widget
- Contents in a custom page widget package
- Options for widget package deployment and registration
- Folder structure for the custom widget project
- Implement toolbar and menu for your widget
- Build and deploy a widget as an EAR file
- Widget package structure
- Custom case comment widget
- Update an existing widget package with new widgets
- Implement External Data Services (EDS)
- Sample external data service
- Java code in the sample EDS service
- External Data Configuration in the sample
- Appendix
- Debugging and troubleshooting
- Additional Information and links

Flere Informationer:

For yderligere informationer eller booking af kursus, kontakt os på tlf.nr.: 44 88 18 00

training@globalknowledge.dk

www.globalknowledge.com/da-dk/

Global Knowledge, Stamholmen 110, 2650 Hvidovre