

RH436-Bundle: Red Hat Enterprise Clustering and Storage Management + EX436

Duration: 5 Days Course Code: RH437

Overview:

Red Hat® Enterprise Clustering and Storage Management with Exam (RH437) provides intensive, hands-on experience with storage management, Red Hat Cluster Suite, and the shared storage technology delivered by Red Hat Global File System (GFS). Created for senior Linux® system administrators, this 4-day course has a strong emphasis on lab-based activities. At the end of the course, students will have learned to deploy and manage shared storage and server clusters that provide highly available network services to a mission-critical enterprise environment.

A Red Hat Certified Engineer (RHCE®) who successfully completes this course is prepared to take the Red Hat Enterprise Clustering and Storage Management Expertise Exam (EX436).

Target Audience:

An experienced Linux system administrator responsible for managing shared storage across 1 or more Linux systems, an experienced Linux system administrator responsible for maintaining a high-availability service using cluster technology, an RHCE interested in earning a Red Hat Certificate of Expertise, a Red Hat Certified Datacenter Specialist (RHCDS) or a Red Hat Certified Architect (RHCA) credential.

Objectives:

- Setup and management of high-availability clustered services with Red Hat Cluster Suite
-
- Providing iSCSI targets with Red Hat Enterprise Linux
-
- Customization and control of device files with udev
-
- Storage I/O multipath with device mapper
-
- Using cluster Logical Volume Management (LVM)
-
- Configuration and use of the Red Hat Global File System cluster file system for shared storage

Prerequisites:

- RHCE certification or equivalent experience

Testing and Certification

- Red Hat Enterprise Clustering and Storage Management Expertise Exam (EX436) Hands-on, performance-based, 4-hour exam.
- This course prepares you for these credentials:
- Red Hat Certified Architect — RHCA
- Red Hat Certified Datacenter Specialist — RHCDS
- Certificates of Expertise

Follow-on-Courses:

- RH401, Red Hat Enterprise Deployment and Systems Management
- RHS333, Red Hat Enterprise Security Network Services
- RH442, Red Hat Enterprise Performance Tuning

Content:

Storage technologies

■ Storage Requirements

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

iSCSI

■ iSCSI as a shared storage device

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Red Hat Cluster Suite overview

■ Design and elements of clustering

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Logical Volume Management

■ LVM review

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools

Quorum and the cluster manager

■ Intracluster communication

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Fencing and failover

■ Fencing components

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Quorum disk

■ Heuristic configuration

Resource Group Manager (rgmanager)

■ Resource groups and recovery

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler

- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Kernel Device Management

- udev features

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering

- Failover domains
- Hierarchical resource ordering
- High-availability services

Global File System (GFS) 2

- Implementation and configuration
- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering

- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

■ High-availability services

Device mapper and multipathing

■ Mapping targets

■ High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

Further Information:

For More information, or to book your course, please call us on 00 20 (0) 2 2269 1982 or 16142

training@globalknowledge.com.eg

www.globalknowledge.com.eg

Global Knowledge, 16 Moustafa Refaat St. Block 1137, Sheraton Buildings, Heliopolis, Cairo