

Implementing Cisco Quality of Service (QoS)

Varighet: 5 Days Kurskode: QOS Version: 2.5 Opplæringsmetoder: Virtuell opplæring

Beskrivelse:

This Implementing Cisco Quality of Service (QoS) course provides learners with an in-depth knowledge of QoS requirements, conceptual QoS models such as best effort, IntServ, and DiffServ are all reviewed along with the best practices for a QoS implementation on Cisco platforms. The curriculum covers the theory of QoS, design issues, and configuration of various QoS mechanisms to facilitate the creation of effective administrative policies providing QoS.

Case studies and lab exercises included in the course help learners to apply the concepts from the individual modules to real-life scenarios. Learners are provided with design and usage rule for advanced QoS features, giving them the opportunity to design and implement efficient, optimal, and trouble-free multiservice networks.

This course is worth 40 Credits on the Continuing Education Program

Virtuell opplæring

V&C Select™ er et veldig enkelt konsept og svært fleksibelt. Du kan delta personlig i klassen eller som virtuell deltaker. Når deres team er geografisk splittet eller du har et begrenset reisebudsjett kan du benytte deg av vår virtuelle klasserom. Kursinnholdet er akkurat det samme som i et vanlig klasserom og deltakerne får en instruktør "live" via internett. Deltaker kan chatte og snakke med sin instruktør og sine medstudenter. Global Knowledge vil sende deg all informasjon du trenger før kurset slik at du kan teste innlogging.

Målgruppe:

This course is aimed at pre-and post-sales technical engineers responsible for designing, implementing, or troubleshooting networks and network architects responsible for designing multiservice networks to carry voice, video, and data traffic in enterprise or service provider environments.

Agenda:

■ After you complete this course you will be able to:

■ Explain the need for QoS, describe the fundamentals of QoS policy, identify and describe the different models that are used for ensuring QoS in a network.

■

■ Explain the use of MQC and AutoQoS to implement QoS on the network and describe some of the mechanisms used to monitor QoS implementations.

■

■ Given a converged network and a policy defining QoS requirements, classify and mark network traffic in order to implement the policy.

■

■ Use Cisco queuing mechanisms to manage network congestion

■

■ Use Cisco QoS congestion avoidance mechanisms to reduce the effects of congestion on the network.

■

■ Use Cisco QoS traffic policing and traffic shaping mechanisms to effectively limit the rate of network traffic

■

■ Use Cisco link efficiency mechanisms to improve the bandwidth efficiency of low-speed WAN links

■

■ Describe the recommended best practices and methods used for end-to-end QoS deployment in the enterprise.

Forkunnskaper:

Attendees should meet the following prerequisites:

Test og sertifisering

Recommended preparation for exam(s):

Innhold:

Introduction to QoS

■ Review Converged Networks

■ Understand QoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

■ Understand QoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify

■ Understand QoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

■ Understand QoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification

Deploying End-to-End QoS

■ Apply Best Practices for QoS Policy Design

■ Understand QoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Labs

- Lab 2-1: IP SLA Setup and QoS Baseline Measurement

■ Understand QoS

- Describe Best-Effort and Integrated

- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI

- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Congestion Avoidance

- Congestion Avoidance Introduction

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance

- Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion

- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Implement and Monitor QoS

- MQC Introduction
- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms

- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and

- Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking

- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ

- Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED
- Understand QoS

- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Classification and Marking

- Classification and Marking Overview
- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression

Traffic Policing and Shaping

- Traffic Policing and Shaping Overview
- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED
- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS

- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED
- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN

- Configure LFI
 - End-to-End QoS Deployments
 - Lab 2-2: Configuring QoS with Cisco AutoQoS
 - Case Study 3-1: Classification and Marking
 - Lab 3-2: Classification and Marking Using MQC
 - Lab 3-3: Using NBAR for Classification
 - Lab 3-4: Configuring QoS Preclassify
 - Lab 3-5: Campus Classification and Marking Using MQC
 - Lab 4-1: Configuring Fair Queuing
 - Lab 4-2: Configuring LLQ-CBWFQ
 - Lab 4-3: Configuring Campus-Based Queuing Mechanisms
 - Case Study 5-1: WRED Traffic Profiles
 - Lab 5-2: Configuring DSCP-Based WRED
-
- Understand QoS
 - Describe Best-Effort and Integrated Services Models
 - Describe the Differentiated Services Model
 - Monitor QoS
 - Define Campus AutoQoS
 - Define WAN AutoQoS
 - MQC for Classification and Marking
 - NBAR for Classification
 - Use of QoS Preclassify
 - Campus Classification and Marking
 - Configure WFQ
 - Configure CBWFQ and LLQ
 - Configure Campus Congestion Management
 - Configure Class-Based WRED
 - Configure ECN
 - Describe Campus-Based Congestion Avoidance
 - Configure Class-Based Policing
 - Campus Policing
 - Configure Class-Based Shaping
 - Configure Class-Based Shaping on Frame Relay Interfaces
 - Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
 - Configure Class-Based Header Compression
 - Configure LFI
 - End-to-End QoS Deployments
 - Lab 2-2: Configuring QoS with Cisco AutoQoS
 - Case Study 3-1: Classification and Marking
 - Lab 3-2: Classification and Marking Using MQC
 - Lab 3-3: Using NBAR for Classification
 - Lab 3-4: Configuring QoS Preclassify
 - Lab 3-5: Campus Classification and Marking Using MQC
 - Lab 4-1: Configuring Fair Queuing
 - Lab 4-2: Configuring LLQ-CBWFQ
 - Lab 4-3: Configuring Campus-Based Queuing Mechanisms
 - Case Study 5-1: WRED Traffic Profiles
 - Lab 5-2: Configuring DSCP-Based WRED

- Define WAN AutoQoS
 - MQC for Classification and Marking
 - NBAR for Classification
 - Use of QoS Preclassify
 - Campus Classification and Marking
 - Configure WFQ
 - Configure CBWFQ and LLQ
 - Configure Campus Congestion Management
 - Configure Class-Based WRED
 - Configure ECN
 - Describe Campus-Based Congestion Avoidance
 - Configure Class-Based Policing
 - Campus Policing
 - Configure Class-Based Shaping
 - Configure Class-Based Shaping on Frame Relay Interfaces
 - Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
 - Configure Class-Based Header Compression
 - Configure LFI
 - End-to-End QoS Deployments
 - Lab 2-2: Configuring QoS with Cisco AutoQoS
 - Case Study 3-1: Classification and Marking
 - Lab 3-2: Classification and Marking Using MQC
 - Lab 3-3: Using NBAR for Classification
 - Lab 3-4: Configuring QoS Preclassify
 - Lab 3-5: Campus Classification and Marking Using MQC
 - Lab 4-1: Configuring Fair Queuing
 - Lab 4-2: Configuring LLQ-CBWFQ
 - Lab 4-3: Configuring Campus-Based Queuing Mechanisms
 - Case Study 5-1: WRED Traffic Profiles
 - Lab 5-2: Configuring DSCP-Based WRED
-
- Understand QoS
 - Describe Best-Effort and Integrated Services Models
 - Describe the Differentiated Services Model
 - Monitor QoS
 - Define Campus AutoQoS
 - Define WAN AutoQoS
 - MQC for Classification and Marking
 - NBAR for Classification
 - Use of QoS Preclassify
 - Campus Classification and Marking
 - Configure WFQ
 - Configure CBWFQ and LLQ
 - Configure Campus Congestion Management
 - Configure Class-Based WRED
 - Configure ECN
 - Describe Campus-Based Congestion Avoidance
 - Configure Class-Based Policing

- Describe Campus-Based Congestion Avoidance
 - Configure Class-Based Policing
 - Campus Policing
 - Configure Class-Based Shaping
 - Configure Class-Based Shaping on Frame Relay Interfaces
 - Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
 - Configure Class-Based Header Compression
 - Configure LFI
 - End-to-End QoS Deployments
 - Lab 2-2: Configuring QoS with Cisco AutoQoS
 - Case Study 3-1: Classification and Marking
 - Lab 3-2: Classification and Marking Using MQC
 - Lab 3-3: Using NBAR for Classification
 - Lab 3-4: Configuring QoS Preclassify
 - Lab 3-5: Campus Classification and Marking Using MQC
 - Lab 4-1: Configuring Fair Queuing
 - Lab 4-2: Configuring LLQ-CBWFQ
 - Lab 4-3: Configuring Campus-Based Queuing Mechanisms
 - Case Study 5-1: WRED Traffic Profiles
 - Lab 5-2: Configuring DSCP-Based WRED
-
- Understand QoS
 - Describe Best-Effort and Integrated Services Models
 - Describe the Differentiated Services Model
 - Monitor QoS
 - Define Campus AutoQoS
 - Define WAN AutoQoS
 - MQC for Classification and Marking
 - NBAR for Classification
 - Use of QoS Preclassify
 - Campus Classification and Marking
 - Configure WFQ
 - Configure CBWFQ and LLQ
 - Configure Campus Congestion Management
 - Configure Class-Based WRED
 - Configure ECN
 - Describe Campus-Based Congestion Avoidance
 - Configure Class-Based Policing
 - Campus Policing
 - Configure Class-Based Shaping
 - Configure Class-Based Shaping on Frame Relay Interfaces
 - Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
 - Configure Class-Based Header Compression
 - Configure LFI
 - End-to-End QoS Deployments
 - Lab 2-2: Configuring QoS with Cisco AutoQoS
 - Case Study 3-1: Classification and

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN

- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking

- Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Congestion Management

Queuing Introduction

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco

- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance

- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED

AutoQoS

- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Link Efficiency Mechanisms

■ Link Efficiency Mechanisms Overview

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS

- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

- Understand QoS
- Describe Best-Effort and Integrated Services Models
- Describe the Differentiated Services Model
- Monitor QoS
- Define Campus AutoQoS
- Define WAN AutoQoS
- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS

- MQC for Classification and Marking
- NBAR for Classification
- Use of QoS Preclassify
- Campus Classification and Marking
- Configure WFQ
- Configure CBWFQ and LLQ
- Configure Campus Congestion Management
- Configure Class-Based WRED
- Configure ECN
- Describe Campus-Based Congestion Avoidance
- Configure Class-Based Policing
- Campus Policing
- Configure Class-Based Shaping
- Configure Class-Based Shaping on Frame Relay Interfaces
- Configure Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- Configure Class-Based Header Compression
- Configure LFI
- End-to-End QoS Deployments
- Lab 2-2: Configuring QoS with Cisco AutoQoS
- Case Study 3-1: Classification and Marking
- Lab 3-2: Classification and Marking Using MQC
- Lab 3-3: Using NBAR for Classification
- Lab 3-4: Configuring QoS Preclassify
- Lab 3-5: Campus Classification and Marking Using MQC
- Lab 4-1: Configuring Fair Queuing
- Lab 4-2: Configuring LLQ-CBWFQ
- Lab 4-3: Configuring Campus-Based Queuing Mechanisms
- Case Study 5-1: WRED Traffic Profiles
- Lab 5-2: Configuring DSCP-Based WRED

Ytterligere informasjon:

For mer informasjon eller kursbooking, vennligst ring oss 22 95 66 00

info@globalknowledge.no

www.globalknowledge.com/nb-no/

Grenseveien 90, 0663 Oslo, PO Box 6256 Etterstad, 0606 Oslo, Norway