

## RH436-Bundle: Red Hat Enterprise Clustering and Storage Management + EX436

**Duration: 5 Days    Course Code: RH437**

### Overview:

Red Hat® Enterprise Clustering and Storage Management with Exam (RH437) provides intensive, hands-on experience with storage management, Red Hat Cluster Suite, and the shared storage technology delivered by Red Hat Global File System (GFS). Created for senior Linux® system administrators, this 4-day course has a strong emphasis on lab-based activities. At the end of the course, students will have learned to deploy and manage shared storage and server clusters that provide highly available network services to a mission-critical enterprise environment.

A Red Hat Certified Engineer (RHCE®) who successfully completes this course is prepared to take the Red Hat Enterprise Clustering and Storage Management Expertise Exam (EX436).

### Company Events

These events can be delivered exclusively for your company at our locations or yours, specifically for your delegates and your needs. The Company Events can be tailored or standard course deliveries.

### Target Audience:

An experienced Linux system administrator responsible for managing shared storage across 1 or more Linux systems, an experienced Linux system administrator responsible for maintaining a high-availability service using cluster technology, an RHCE interested in earning a Red Hat Certificate of Expertise, a Red Hat Certified Datacenter Specialist (RHCDs) or a Red Hat Certified Architect (RHCA) credential.

### Objectives:

- Setup and management of high-availability clustered services with Red Hat Cluster Suite
- 
- Providing iSCSI targets with Red Hat Enterprise Linux
- 
- Customization and control of device files with udev
- 
- Storage I/O multipath with device mapper
- 
- Using cluster Logical Volume Management (LVM)
- 
- Configuration and use of the Red Hat Global File System cluster file system for shared storage

### Prerequisites:

- RHCE certification or equivalent experience

### Testing and Certification

- Red Hat Enterprise Clustering and Storage Management Expertise Exam (EX436) Hands-on, performance-based, 4-hour exam.
- This course prepares you for these credentials:
- Red Hat Certified Architect — RHCA
- Red Hat Certified Datacenter Specialist — RHCDs

Certificates of Expertise

### Follow-on-Courses:

- RH401, Red Hat Enterprise Deployment and Systems Management
- RHS333, Red Hat Enterprise Security Network Services
- RH442, Red Hat Enterprise Performance Tuning



## Content:

### Storage technologies

- Storage Requirements
- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

### iSCSI

- iSCSI as a shared storage device
- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

### Red Hat Cluster Suite overview

- Design and elements of clustering

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

### Logical Volume Management

- LVM review

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management

### Quorum and the cluster manager

- Intracluster communication

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

### Fencing and failover

- Fencing components

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

### Quorum disk

- Heuristic configuration

### Resource Group Manager (rgmanager)

- Resource groups and recovery

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration

- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

#### Kernel Device Management

- udev features

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools

- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

#### Global File System (GFS) 2

- Implementation and configuration

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools

- Failover domains
- Hierarchical resource ordering
- High-availability services

#### Device mapper and multipathing

- Mapping targets

- Failover domains
- Hierarchical resource ordering
- High-availability services
- NAS vs. SAN
- Configuring an iSCSI initiator
- Configuring an iSCSI target
- Authentication
- udev rule configuration
- I/O scheduler
- Multipath device configuration
- Cluster configuration tools
- Setting up clustered logical volumes
- Lock management
- Planning for and growing online GFS
- Monitoring tools
- Journal configuration and management
- Cluster tools
- Failover domains
- Hierarchical resource ordering
- High-availability services

---

#### Further Information:

For More information, or to book your course, please call us on Head Office Tel.: +974 40316639

[training@globalknowledge.qa](mailto:training@globalknowledge.qa)

[www.globalknowledge.com/en-qa/](http://www.globalknowledge.com/en-qa/)

Global Knowledge, Qatar Financial Center, Burj Doha, Level 21, P.O.Box 27110, West Bay, Doha, Qatar